



THIS DRAWING AND THE INFORMATION CONTAINED HEREIN ARE THE PROPERTY OF DMCPower AND SHALL NOT BE COPIED, REPRODUCED OR DISCLOSED WITHOUT EXPRESS AUTHORIZATION BY DMCPower.

| TABLE: AVAILABLE OPTIONS | | | | |
|----------------------------|---------------------|-----------|-------|------|
| ASSEMBLY PART NUMBER | OUTSIDE DIAMETER | | H | L |
| | MAIN/RUN ØC | TAP ØD | | |
| CL430D16-00020X | 2.000 | 1.000 | 4.22 | 8.50 |
| CL430D16-00030X | 2.000 | 1.000 | 4.22 | 8.50 |
| CL430D16-00040X | 2.000 | 1.000 | 4.22 | 8.50 |
| CL430D16-02500X | 2.000 | 1.000 | 4.92 | 8.50 |
| CL430D16-02668X | 2.000 | 1.250 | 4.49 | 8.50 |
| CL430D16-03000X | 2.000 | 1.250 | 4.49 | 8.50 |
| CL430D16-03500X | 2.000 | 1.250 | 4.49 | 8.50 |
| CL430D16-03975X | 2.000 | 1.250 | 4.49 | 8.50 |
| CL430D16-07155X | 2.000 | 1.750 | 4.80 | 8.50 |
| CL430D24-00010X | 2.500 | 0.750 | 4.28 | 8.50 |
| CL430D24-04500X | 2.500 | 1.500 | 5.06 | 8.50 |
| CL430D24-04770X | 2.500 | 1.500 | 5.06 | 8.50 |
| CL430D24-05000X | 2.500 | 1.500 | 5.06 | 8.50 |
| CL430D24-05565X | 2.500 | 1.500 | 5.06 | 8.50 |
| CL430D24-07500X | 2.500 | 1.875 | 5.24 | 8.50 |
| CL430D24-07950X | 2.500 | 1.875 | 5.24 | 8.50 |
| CL430D24-08745X | 2.500 | 1.875 | 5.24 | 8.50 |
| CL430D32-00001X | 3.000 | 0.750 | 4.61 | 8.50 |
| CL430D32-00002X | 3.000 | 0.750 | 4.61 | 8.50 |
| CL430D32-00010X | 3.000 | 0.750 | 4.61 | 8.50 |
| CL430D32-02500X | 3.000 | 1.000 | 4.75 | 8.50 |
| CL430D32-03500X | 3.000 | 1.250 | 5.00 | 8.50 |
| CL430D32-03975X | 3.000 | 1.250 | 5.00 | 8.50 |
| CL430D32-05565X | 3.000 | 1.500 | 5.43 | 8.50 |
| CL430D32-14310X | 3.000 | 2.250 | 5.43 | 8.50 |
| CL430D40-02500X | 3.750 | 1.000 | 5.14 | 8.50 |
| CL430D40-03500X | 3.750 | 1.250 | 5.43 | 8.50 |
| CL403D40-07950X | 3.750 | 1.875 | 5.97 | 8.50 |
| CL430D40-11925X | 3.750 | 2.250 | 5.99 | 8.50 |
| CL430D40-12720X | 3.750 | 2.250 | 5.99 | 8.50 |
| CL430D40-13515X | 3.750 | 2.250 | 5.99 | 8.50 |
| CL430D40-14310X | 3.750 | 2.250 | 5.99 | 8.50 |
| CL430D40-15105X | 3.750 | 2.250 | 5.99 | 8.50 |
| CL430D40-15900X | 3.750 | 2.250 | 5.99 | 8.50 |
| CL430D40-17500X | 3.750 | 2.250 | 5.99 | 8.50 |
| CL430D40-18000X | 3.750 | 2.250 | 5.99 | 8.50 |
| CL430D48-00020X | 4.375 | 1.000 | 5.454 | 8.50 |
| CL430D48-00030X | 4.375 | 1.000 | 5.454 | 8.50 |
| CL430D48-00040X | 4.375 | 1.000 | 5.454 | 8.50 |
| CL430D48-02500X | 4.375 | 1.000 | 5.704 | 8.50 |
| CL430D48-02668X | 4.375 | 1.250 | 5.753 | 8.50 |
| CL430D48-03000X | 4.375 | 1.250 | 5.753 | 8.50 |

THIS DRAWING AND THE INFORMATION CONTAINED HEREIN ARE THE PROPERTY OF DMCPower AND SHALL NOT BE COPIED, REPRODUCED OR DISCLOSED WITHOUT EXPRESS AUTHORIZATION BY DMCPower.

| TABLE: AVAILABLE OPTIONS | | | | |
|----------------------------|----------------|-----------|------|------|
| ASSEMBLY PART NUMBER | OUTSIDE | | H | L |
| | MAIN/RUN ØC | TAP ØD | | |
| CL430D48-03500X | 4.375 | 1.250 | 5.75 | 8.50 |
| CL430D48-03975X | 4.375 | 1.250 | 5.75 | 8.50 |
| CL430D48-04500X | 4.375 | 1.500 | 6.06 | 8.50 |
| CL430D48-04770X | 4.375 | 1.500 | 6.06 | 8.50 |
| CL430D48-05000X | 4.375 | 1.500 | 6.06 | 8.50 |
| CL430D48-05565X | 4.375 | 1.500 | 6.06 | 8.50 |
| CL430D48-06000X | 4.375 | 1.750 | 6.27 | 8.50 |
| CL430D48-06360X | 4.375 | 1.750 | 6.27 | 8.50 |
| CL430D48-07000X | 4.375 | 1.750 | 6.27 | 8.50 |
| CL430D48-07155X | 4.375 | 1.750 | 6.27 | 8.50 |
| CL430D48-07500X | 4.375 | 1.875 | 6.29 | 8.50 |
| CL430D48-07950X | 4.375 | 1.875 | 6.29 | 8.50 |
| CL430D48-08745X | 4.375 | 1.875 | 6.29 | 8.50 |
| CL430D48-09000X | 4.375 | 2.000 | 6.37 | 8.50 |
| CL430D48-09540X | 4.375 | 2.000 | 6.37 | 8.50 |
| CL430D48-10000X | 4.375 | 2.000 | 6.37 | 8.50 |
| CL430D48-10335X | 4.375 | 2.000 | 6.37 | 8.50 |
| CL430D48-11130X | 4.375 | 2.000 | 6.37 | 8.50 |
| CL430D48-11925X | 4.375 | 2.250 | 6.34 | 8.50 |
| CL430D48-12720X | 4.375 | 2.250 | 6.34 | 8.50 |
| CL430D48-13515X | 4.375 | 2.250 | 6.34 | 8.50 |
| CL430D48-14310X | 4.375 | 2.250 | 6.34 | 8.50 |
| CL430D48-15105X | 4.375 | 2.250 | 6.34 | 8.50 |
| CL430D48-15900X | 4.375 | 2.250 | 6.34 | 8.50 |
| CL430D48-17500X | 4.375 | 2.250 | 6.34 | 8.50 |
| CL430D48-18000X | 4.375 | 2.250 | 6.34 | 8.50 |
| CL430D48-20000X | 4.375 | 2.750 | 6.66 | 8.50 |
| CL430D48-22500X | 4.375 | 2.750 | 6.66 | 8.50 |
| CL430D48-25000X | 4.375 | 2.750 | 6.66 | 8.50 |
| CL430D56-07950X | 5.000 | 1.875 | 6.62 | 8.50 |
| CL430D56-12720X | 5.000 | 2.250 | 6.68 | 8.50 |
| CL430D64-00002X | 5.500 | 0.750 | 6.02 | 8.50 |
| CL430D64-00001X | 5.500 | 0.750 | 6.02 | 8.50 |
| CL430D64-02500X | 5.500 | 1.000 | 6.02 | 8.50 |
| CL430D64-03000X | 5.500 | 1.250 | 6.32 | 8.50 |
| CL430D64-03500X | 5.500 | 1.250 | 6.64 | 8.50 |
| CL430D64-04500X | 5.500 | 1.500 | 6.64 | 8.50 |
| CL430D64-04770X | 5.500 | 1.500 | 6.64 | 8.50 |
| CL430D64-05000X | 5.500 | 1.500 | 6.64 | 8.50 |
| CL430D64-05565X | 5.500 | 1.500 | 6.64 | 8.50 |
| CL430D64-06000X | 5.500 | 1.750 | 6.86 | 8.50 |
| CL430D64-06360X | 5.500 | 1.750 | 6.86 | 8.50 |

THIS DRAWING AND THE INFORMATION CONTAINED HEREIN ARE THE PROPERTY OF DMCPower AND SHALL NOT BE COPIED, REPRODUCED OR DISCLOSED WITHOUT EXPRESS AUTHORIZATION BY DMCPower.

| TABLE: AVAILABLE OPTIONS (CONT'D) | | | | |
|-----------------------------------|---------------------|-----------|------|-------|
| ASSEMBLY PART NUMBER | OUTSIDE DIAMETER | | H | L |
| | MAIN/RUN ØC | TAP ØD | | |
| CL430D64-07000X | #REF! | #REF! | 6.86 | #REF! |
| CL430D64-07155X | 5.500 | 1.750 | 6.86 | 8.50 |
| CL430D64-07500X | 5.500 | 1.875 | 6.89 | 8.50 |
| CL430D64-07950X | 5.500 | 1.875 | 6.89 | 8.50 |
| CL430D64-08745X | 5.500 | 1.875 | 6.89 | 8.50 |
| CL430D64-09000X | 5.500 | 2.000 | 6.96 | 8.50 |
| CL430D64-09540X | 5.500 | 2.000 | 6.96 | 8.50 |
| CL430D64-10000X | 5.500 | 2.000 | 6.96 | 8.50 |
| CL430D64-10335X | 5.500 | 2.000 | 6.96 | 8.50 |
| CL430D64-11130X | 5.500 | 2.000 | 6.96 | 8.50 |
| CL430D64-11925X | 5.500 | 2.250 | 6.94 | 8.50 |
| CL430D64-12720X | 5.500 | 2.250 | 6.94 | 8.50 |
| CL430D64-13515X | 5.500 | 2.250 | 6.94 | 8.50 |
| CL430D64-14310X | 5.500 | 2.250 | 6.94 | 8.50 |
| CL430D64-15105X | 5.500 | 2.250 | 6.94 | 8.50 |
| CL430D64-15900X | 5.500 | 2.250 | 6.94 | 8.50 |
| CL430D64-17500X | 5.500 | 2.250 | 6.94 | 8.50 |
| CL430D64-18000X | 5.500 | 2.250 | 6.94 | 8.50 |
| CL430D80-00010X | 6.500 | .750 | 6.42 | 14.50 |
| CL430D80-02668X | 6.500 | 1.250 | 6.51 | 14.50 |
| CL430D80-03000X | 6.500 | 1.250 | 6.51 | 14.50 |
| CL430D80-03500X | 6.500 | 1.250 | 6.51 | 14.50 |
| CL430D80-03975X | 6.500 | 1.250 | 6.51 | 14.50 |
| CL430D80-04500X | 6.500 | 1.500 | 7.15 | 14.50 |
| CL430D80-04770X | 6.500 | 1.500 | 7.15 | 14.50 |
| CL430D80-05000X | 6.500 | 1.500 | 7.15 | 14.50 |
| CL430D80-05565X | 6.500 | 1.500 | 7.15 | 14.50 |
| CL430D80-06360X | 6.500 | 1.750 | 7.37 | 14.50 |
| CL430D80-09000X | 6.500 | 2.000 | 7.48 | 14.50 |
| CL430D80-11925X | 6.500 | 2.250 | 7.46 | 14.50 |
| CL430D80-12720X | 6.500 | 2.250 | 7.46 | 14.50 |
| CL430D80-13515X | 6.500 | 2.250 | 7.46 | 14.50 |
| CL430D80-14310X | 6.500 | 2.250 | 7.46 | 14.50 |
| CL430D80-15105X | 6.500 | 2.250 | 7.46 | 14.50 |
| CL430D80-15900X | 6.500 | 2.250 | 7.46 | 14.50 |
| CL430D80-17500X | 6.500 | 2.250 | 7.46 | 14.50 |
| CL430D80-18000X | 6.500 | 2.250 | 7.46 | 14.50 |
| CL430D80-20000X | 6.500 | 2.750 | 7.82 | 14.50 |

THIS DRAWING AND THE INFORMATION CONTAINED HEREIN ARE THE PROPERTY OF DMCPower AND SHALL NOT BE COPIED, REPRODUCED OR DISCLOSED WITHOUT EXPRESS AUTHORIZATION BY DMCPower.

| TABLE: AVAILABLE OPTIONS (CONT'D) | | | | |
|-----------------------------------|---------------------|-----------|------|-------|
| ASSEMBLY PART NUMBER | OUTSIDE DIAMETER | | H | L |
| | MAIN/RUN øC | TAP ØD | | |
| CL430D80-22500X | 6.500 | 2.750 | 7.82 | 14.50 |
| CL430D80-25000X | 6.500 | 2.750 | 7.82 | 14.50 |
| CL430D96-04500X | 8.000 | 1.500 | 7.91 | 21.15 |
| CL430D96-04770X | 8.000 | 1.500 | 7.91 | 21.15 |
| CL430D96-05000X | 8.000 | 1.500 | 7.91 | 21.15 |
| CL430D96-05565X | 8.000 | 1.500 | 7.91 | 21.15 |
| CL430D96-06000X | 8.000 | 1.750 | 8.14 | 21.15 |
| CL430D96-06360X | 8.000 | 1.750 | 8.14 | 21.15 |
| CL430D96-07000X | 8.000 | 1.750 | 8.14 | 21.15 |
| CL430D96-07155X | 8.000 | 1.750 | 8.14 | 21.15 |
| CL430D96-07500X | 8.000 | 1.875 | 8.17 | 21.15 |
| CL430D96-07950X | 8.000 | 1.875 | 8.17 | 21.15 |
| CL430D96-08745X | 8.000 | 1.875 | 8.17 | 21.15 |
| CL430D96-09000X | 8.000 | 2.000 | 8.25 | 21.15 |
| CL430D96-09540X | 8.000 | 2.000 | 8.25 | 21.15 |
| CL430D96-10000X | 8.000 | 2.000 | 8.25 | 21.15 |
| CL430D96-10335X | 8.000 | 2.000 | 8.25 | 21.15 |
| CL430D96-11130X | 8.000 | 2.000 | 8.25 | 21.15 |
| CL430D96-11925X | 8.000 | 2.250 | 8.23 | 21.15 |
| CL430D96-12720X | 8.000 | 2.250 | 8.23 | 21.15 |
| CL430D96-13515X | 8.000 | 2.250 | 8.23 | 21.15 |
| CL430D96-14310X | 8.000 | 2.250 | 8.23 | 21.15 |
| CL430D96-15105X | 8.000 | 2.250 | 8.23 | 21.15 |
| CL430D96-15900X | 8.000 | 2.250 | 8.23 | 21.15 |
| CL430D96-17500X | 8.000 | 2.250 | 8.23 | 21.15 |
| CL430D96-18000X | 8.000 | 2.250 | 8.23 | 21.15 |
| CL430D96-20000X | 8.000 | 2.750 | 8.61 | 21.15 |
| CL430D96-22500X | 8.000 | 2.750 | 8.61 | 21.15 |
| CL430D96-25000X | 8.000 | 2.750 | 8.61 | 21.15 |

LEGEND

CL430 D XXXXX - XXXXX X

- FINISH:
"T" = TIN PLATE
"S" = NONE (BARE ALUMINUM)
- IDENTIFIER NO. TAP
- IDENTIFIER NO. MAIN/ RUN
- MATERIAL CODE
"D" = ALUMINUM
- BASIC PART NUMBER