



LEGEND

CPLK9642	D	XXXXX	-XX	X	LB	X	- EHV	
								OPTIONAL EHV DESIGNATION, NO CHANGE WITH SUFFIX OR IF LEFT BLANK
								FINISH: "S" = NONE (BARE ALUM) "T" = TIN PLATE
								LONG BARREL VERSION (OPTIONAL)
								SPECIAL PAD OPTION
								DISTANCE BETWEEN BARRELS (G OPTIONAL)
								IDENTIFIER NUMBER
								MATERIAL CODE "D" = ALUMINUM
								BASIC PART NUMBER

THIS DRAWING AND THE INFORMATION CONTAINED HEREIN ARE THE PROPERTY OF DMC POWER AND SHALL NOT BE COPIED, REPRODUCED OR DISCLOSED WITHOUT EXPRESS AUTHORIZATION BY DMC POWER.

FORM 1-040B 07/09

TABLE 1 AVAILABLE OPTIONS:

ASSEMBLY PART NUMBER	A ±.06	B ±.03	(C)	(Ø D)	G ±.030	(T)
CPLK9642D00020X	8.00		5.125	1.000	3.000	.375
CPLK9642D00030X						
CPLK9642D00040X						
CPLK9642D02500X						
CPLK9642D02668X	8.38	4.63	5.250	1.250	2.750	.625
CPLK9642D03000X						
CPLK9642D03500X						
CPLK9642D03975X						
CPLK9642D04500X						
CPLK9642D04770X	8.63		5.250	1.500	3.625	.625
CPLK9642D05000X						
CPLK9642D05565X						
CPLK9642D06000X						
CPLK9642D06360X	9.63	5.38	6.000	1.750	3.750	.625
CPLK9642D07000X						
CPLK9642D07155X						
CPLK9642D07500X						
CPLK9642D07950X			6.000	1.875	3.813	.625
CPLK9642D08745X						
CPLK9642D09000X						
CPLK9642D09540X						
CPLK9642D10000X	9.75	5.00	6.000	2.000	3.875	.750
CPLK9642D10335X						
CPLK9642D11130X						
CPLK9642D11925X						
CPLK9642D12720X						
CPLK9642D13515X						
CPLK9642D14310X						
CPLK9642D15105X						
CPLK9642D15900X						
CPLK9642D17500X						
CPLK9642D18000X						
CPLK9642D20000X						
CPLK9642D22500X	9.88	4.50	6.000	2.750	5.000	1.25
CPLK9642D23000X						
CPLK9642D25000X						
CPLK9642D25000X						
CPLK9642D1000LBX	21.00	5.00	8.000	2.000	3.875	0.750
CPLK9642D13515LBX	21.00	5.00	8.000	2.250	4.000	1.000
CPLK9642D17500LBX						
CPLK9642D18000LBX						

THIS DRAWING AND THE INFORMATION CONTAINED HEREIN ARE THE PROPERTY OF DMC POWER AND SHALL NOT BE COPIED, REPRODUCED OR DISCLOSED WITHOUT EXPRESS AUTHORIZATION BY DMC POWER.

TABLE 2 AVAILABLE OPTIONS:

ASSEMBLY PART NUMBER	A ±.06	B ±.03	(C)	(ØD)	G ±.03	(T)
CPLK9642D02500-4X	8.875	5.495	6.00	1.000	4.00	.375
CPLK9642D07155-4X	9.63	5.375	6.00	1.750	4.00	.625
CPLK9642D07950-4X	9.63	5.38	6.00	1.875	4.00	.625
CPLK9642D08745-4X						
CPLK9642D09000-4X	9.75	5.38	6.00	2.00	4.00	.750
CPLK9642D09540-4X						
CPLK9642D10000-4X						
CPLK9642D10335-4X						
CPLK9642D11130-4X	9.75	5.38	6.00	2.000	5.00	.750
CPLK9642D09000-5X						
CPLK9642D10335-5X	9.75	5.00	6.00	2.250	5.00	.750
CPLK9642D12720-5X	9.38	5.38	6.00	1.500	6.00	.625
CPLK9642D04770-6X						
CPLK9642D05565-6X	9.63	5.38	6.00	1.750	6.00	.750
CPLK9642D06360-6X	9.63	5.38	6.00	1.875		
CPLK9642D07950-6X	9.75	5.38	6.00	2.000	6.00	.750
CPLK9642D09540-6X						
CPLK9642D10000-6X	9.75	5.00	6.00	2.250	6.00	.750
CPLK9642D10335-6X						
CPLK9642D11130-6X	9.75	5.00	6.00	2.250	6.00	.750
CPLK9642D11925-6X						
CPLK9642D12720-6X	9.75	5.00	6.00	2.250	6.00	.750
CPLK9642D13515-6X						
CPLK9642D15900-6X	9.75	5.00	6.00	2.250	6.00	.750
CPLK9642D17500-6X						
CPLK9642D17500-6AX	9.88	4.50	6.00	2.750	6.00	1.250
CPLK9642D18000-6X						
CPLK9642D20000-6X	9.13	5.38	6.00	1.25	8.00	.625
CPLK9642D22500-6X						
CPLK9642D23000-6X	9.38	5.38	6.00	1.500	8.00	.625
CPLK9642D02668-8X						
CPLK9642D03000-8X	9.63	5.38	6.00	1.750	8.00	.625
CPLK9642D03500-8X						
CPLK9642D03975-8X	9.63	5.38	6.00	1.875	8.00	.625
CPLK9642D04500-8X						
CPLK9642D04770-8X	9.75	5.00	6.00	2.000	8.00	.750
CPLK9642D05000-8X						
CPLK9642D05565-8X	9.75	5.00	6.00	2.250	8.00	.750
CPLK9642D06000-8X						
CPLK9642D06360-8X	9.88	4.50	6.00	2.750	8.00	1.000
CPLK9642D07000-8X						
CPLK9642D07155-8X	9.88	4.50	6.00	2.750	8.00	1.000
CPLK9642D07500-8X						
CPLK9642D07950-8X	11.63	7.38	8.00	1.875	12.00	.625
CPLK9642D08745-8X						
CPLK9642D09000-8X	11.75	7.38	8.00	2.000	12.00	.750
CPLK9642D09540-8X						
CPLK9642D10000-8X	11.75	7.00	8.00	2.250	12.00	.750
CPLK9642D10335-8X						
CPLK9642D11130-8X	11.875	6.50	8.00	2.750	13.00	1.000
CPLK9642D11925-8X						
CPLK9642D12720-8X	11.875	6.50	8.00	2.750	13.00	1.000
CPLK9642D13515-8X						
CPLK9642D14310-8X	11.75	7.00	8.00	2.000	18.00	.750
CPLK9642D15105-8X						
CPLK9642D15900-8X	11.75	7.00	8.00	2.250	18.00	.750
CPLK9642D17500-8X						
CPLK9642D18000-8X	11.875	6.50	8.00	2.750	18.00	1.000
CPLK9642D20000-8X						
CPLK9642D22500-8X	11.875	6.50	8.00	2.750	18.00	1.000
CPLK9642D23000-8X						
CPLK9642D25000-8X	11.63	7.38	8.00	1.875	12.00	.625
CPLK9642D08745-12X						
CPLK9642D09540-12X	11.75	7.38	8.00	2.000	12.00	.750
CPLK9642D10000-12X						
CPLK9642D12720-12X	11.75	7.00	8.00	2.250	12.00	.750
CPLK9642D13515-12X						
CPLK9642D15900-12X	11.875	6.50	8.00	2.750	13.00	1.000
CPLK9642D22500-12X						
CPLK9642D25000-12X	11.875	6.50	8.00	2.750	13.00	1.000
CPLK9642D25000-13X						
CPLK9642D10000-18X	11.75	7.00	8.00	2.000	18.00	.750
CPLK9642D11300-18X						
CPLK9642D13515-18X	11.75	7.00	8.00	2.250	18.00	.750
CPLK9642D14310-18X						
CPLK9642D15900-18X	11.875	6.50	8.00	2.750	18.00	1.000
CPLK9642D17500-18X						
CPLK9642D22500-18X	11.875	6.50	8.00	2.750	18.00	1.000
CPLK9642D25000-18X						

THIS DRAWING AND THE INFORMATION CONTAINED HEREIN ARE THE PROPERTY OF DMC POWER AND SHALL NOT BE COPIED, REPRODUCED OR DISCLOSED WITHOUT EXPRESS AUTHORIZATION BY DMC POWER.

DMCPOWER
 Next Generation Power Connections
 623 EAST ARTESIA BOULEVARD, CARSON, CA 90746

TITLE
**CableLok ELECTRIC
 CONNECTOR 2 BARREL TO
 4 HOLE PAD**

DWG NO
CPLK9642 - CUT SHEET

SIZE
B

SHEET 3 OF 4

TABLE 5 EHV DESIGNATED AVAILABLE OPTIONS:

ASSEMBLY PART NUMBER	A ±.06	B ±.03	(C)	(ØD)	G ±.03	(T)
CPLK9642D11925-8X-EHV	9.75	5.00	6.00	2.25	8.00	0.75
CPLK9642D18000-8X-EHV				2.75		1.00
CPLK9642D22500-8X-EHV	9.88	4.50				

THIS DRAWING, AND THE INFORMATION CONTAINED HEREIN ARE THE PROPERTY OF DMC POWER AND SHALL NOT BE COPIED, REPRODUCED OR DISCLOSED WITHOUT EXPRESS AUTHORIZATION BY DMC POWER.